

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



SHEDS & WORKSHOPS



Standard Apex



Superior Apex



Superior Pent



Standard Pent



Hipex



Cabin



Bentley Supreme Apex



Bentley Supreme Pent



Potting Shed



Combi-Potting Shed



Sunflower



Security Apex



Security Pent



Heavy Duty Apex



Heavy Duty Pent

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

CHOOSE YOUR DESIGN STYLE

Superior & Standard Apex

DOORS CAN BE HINGED LEFT OR RIGHT



Double door upgrade available on certain models depending on door position 4ft-£125 5ft-£155

Stable door £80

If Standard Apex door option B,C or D are chosen then the height of the door is reduced by

190mm to 1575mm x 762mm.

SUPERIOR APEX STANDARD FEATURES

Fully tongue and grooved construction

Door can be positioned on any side or end wall

Ledged and braced door

Lock and key

Interchangeable panels

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

Superior Apex Standard Apex



WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm 6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD	STANDARD	SUPERIOR	SUPERIOR	BEARERS	ASSEMBLY
	APEX	APEX	APEX	APEX	PRESSURE	CHARGE
			2 BOARDS	2 BOARDS	TREATED	
			HIGHER	HIGHER		
	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm	12mm	18mm		
	CLADDING	CLADDING	CLADDING	CLADDING		
4' x 4'	513	667	548	712	4 x 4' - 36	195
6' x 4'	554	720	614	798	4 x 4' - 36	195
6' x 5'	614	798	672	874	4 x 5' – 46	195
7′ x 5′	655	850	725	942	4 x 5' – 46	195
6' x 6'	703	914	771	1002	4 x 6' – 54	195
8' x 6'	730	949	863	1122	4 x 6' – 54	195
10' x 6'	950	1235	1009	1317	5 x 6' – 68	230
8' x 8'	1060	1378	1163	1511	4 – 8′ – 72	275
10' x 8'	1285	1670	1378	1791	5 x 8' - 90	290



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

CHOOSE YOUR DESIGN STYLE

Superior &

DOORS CAN BE HINGED LEFT OR RIGHT

Superior & Standard Pent



SUPERIOR PENT STANDARD FEATURES

3" x 2" Framed roof
Fully tongue and grooved
construction
Door can be positioned on
any side or end wall
Lock and key

Superior Pent



Standard Pent



4ft-£125 5ft-£155
WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE example: 10' X 8'

Double door upgrade available on certain models depending on

door position

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

If Standard Pent door option W, X or Y are chosen then the height of the door will be reduced by 190mm to 1575mm x 762mm.

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD	STANDARD	SUPERIOR	SUPERIOR	BEARERS	ASSEMBLY
	PENT	PENT	PENT	PENT	PRESSURE	CHARGE
			2 BOARDS	2 BOARDS	TREATED	
			HIGHER	HIGHER		
	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm	12mm	18mm		
	CLADDING	CLADDING	CLADDING	CLADDING		
4' x 4'	555	722	580	764	4x 4' - 36	195
6' x 4'	622	808	675	878	4 x 4' - 36	195
6' x 5'	678	882	738	960	4 x 5' – 46	195
7' x 5'	733	954	798	1038	4 x 5' - 46	195
6' x 6'	779	1012	862	1120	4 x 6' - 54	195
8' x 6'	815	1060	899	1176	4 x 6' - 54	195
10' x 6'	1023	1330	1082	1406	5 x 6' - 68	230
8' x 8'	1200	1467	1305	1595	4 x 8′ – 72	275
10' x 8'	1399	1718	1449	1772	5 x 8′ – 90	290

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.



APEX

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C


SIZE example: 10' X 8'
 HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

Bentley's Supreme Apex and Pent



ORDER ONLINE

Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155

	BENTLEY	BENTLEY
	APEX	APEX
	FLAT PACK KIT	FLAT PACK KIT
	12mm	18mm
	CLADDING	CLADDING
4' x 4'	685	890
6' x 4'	752	977
6' x 5'	811	1055
7' x 5'	863	1122
6' x 6'	910	1183
8' x 6'	1024	1330
10' x 6'	1182	1537
8' x 8'	1338	1731
10' x 8'	1552	2017

BEARERS PRESSURE TREATED	CHARGE
4 x 4' – 36	195
4 x 4' – 36	195
4 x 5′ – 46	195
4 x 5′ – 46	195
4 x 6′ – 54	195
4 x 6′ – 54	195
5 x 6′ – 68	230
4 x 8′ – 72	275
5 x 8' - 90	290

STANDARD FEATURES

Diagonal bracing in the sides
Diagonal bracing in the ends
38mm x 50mm boxed framed door 6'2" High door (available in either end) Standard press lock and key
Zinc plated hinges
3 fixed windows

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.




SIZE	BENTLEY	BENTLEY	Ī	SECURITY	SECURITY		
	PENT	PENT		PENT	PENT		
	FLAT PACK KIT	FLAT PACK KIT	Γ	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm	l	12mm	18mm		
	CLADDING	CLADDING	l	CLADDING	CLADDING		
4' x 4'	719	935		798	1038	4 x 4' - 36	195
6' x 4'	814	1059	Ī	965	1255	4 x 4' - 36	195
6' x 5'	878	1141		978	1272	4 x 5' – 46	195
7' x 5'	936	1217		1048	1362	4 x 5′ – 46	195
6' x 6'	986	1282		1134	1474	4 x 6′ – 54	195
8' x 6'	1040	1354		1188	1544	4 x 6' - 54	195
10' x 6'	1280	1663		1420	1845	5 x 6' - 68	230
8' x 8'	1445	1878		1668	2169	4 x 8′ – 72	275
10' x 8'	1590	2065		1875	2438	5 x 8' - 90	290



APEX

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



CHOOSE YOUR DESIGN STYLE

ASSEMBLY

CHARGE

STANDARD FEATURES

Framing at 1'-300mm intervals throughout the sides for increased strength

38mm x 50mm diagonal bracing in gable ends Galvanised bolted hinges Security bolted padbolt protector Internal glazed security window

Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

BEARERS

PRESSURE

DOORS CAN BE HINGED LEFT OR RIGHT

				TREATED	
ALL BUILDING REQUIRE		FLAT PACK KIT	FLAT PACK KIT		
A SPIRIT BASED TREATMENT ONCE		12mm	18mm		
ASSEMBLED & ANNUALLY THEREAFTER		CLADDING	CLADDING		
	4' x 4'	722	939	4 x 4' - 36	195
ORDER ONLINE	6' x 4'	866	1126	4 x 4' - 36	195
	6' x 5'	904	1175	4 x 5' – 46	195
WHEN ORDERING CHOOSE	7' x 5'	975	1267	4 x 5' – 46	195
1. MODEL example: STANDARD APEX		1041	1254	1 C' F1	
2. DESIGN STYLE example: C	6' x 6'	1041	1354	4 x 6' – 54	195
3. SIZE example: 10' X 8'	8' x 6'	1231	1600	4 x 6' – 54	195
4. HINGED example: LEFT	10' x 6'	1343	1745	5 x 6' – 68	230
5. CLADDING example: 18 mm	8' x 8'	1513	1976	4 x 8' – 72	275
6. FELT UPGRADE example: YES	0 X 8				
7. BEARERS example: YES	10' x 8'	1744	2268	5 x 8' – 90	290

APEX

	_			
SIZE	SECURITY	SECURITY		
	PENT	PENT		
	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm		
	CLADDING	CLADDING		
4' x 4'	798	1038	4 x 4′ – 36	195
6' x 4'	965	1255	4 x 4′ – 36	195
6' x 5'	978	1272	4 x 5' - 46	195
7' x 5'	1048	1362	4 x 5′ – 46	195
6' x 6'	1134	1474	4 x 6′ – 54	195
8' x 6'	1188	1544	4 x 6′ – 54	195
10' x 6'	1420	1845	5 x 6′ – 68	230
8' x 8'	1668	2169	4 x 8′ – 72	275
10' x 8'	1875	2438	5 x 8′ – 90	290

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.





QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

CHOOSE YOUR DESIGN STYLE

Heavy Duty Apex and Pent

CHOOSE YOUR DESIGN STYLE



Please note: this model is shown with the 4ft double doors upgrade









LEFT OR RIGHT



Double door upgrade available on certain models depending on door position 4ft-£125





STANDARD FEATURES

50mm x 50mm framing throughout with diagonal bracing Substantial 75mm x 50mm roof truss: (as pictured)





5 up to 30ft

Heavy duty roofing felt Joinery windows

PENT

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD 12mm CLADDING	PREMIER 18mm CLADDING	PRESSURE TREATED BEARERS	ASSEMBLY CHARGE
8' x 6'	1170	1465	4 x 5' - 54.00	190.00
10′ x 6′	1362	1699	5 x 6′ – 68.00	230.00
8 'x 8'	1399	1770	4 x 8' – 72.00	270.00
10′ x 8′	1715	2145	5 x 8′ – 90.00	290.00

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

Please note: this model is shown with the 4ft double doors upgrade

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS. CEILINGS & FLOORS

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: C
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT 5. CLADDING example: 18 mm
- 6. FELT UPGRADE example: YES
- 7. BEARERS example: YES




Facebook BARR'S GARDEN CENTRES

IS USED IN WALLS, CEILINGS & FLOORS

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS





STANDARD FEATURES

4ft double doors boarded both sides, 75mm x 50mm fully framed Roof constructed of 75mm x 50mm framing Doors can be positioned on any side or end wall Diagonal bracing to sides and ends (as pictured) Mortice lock and key with antique handles Heavy duty hinges 75mm x 50mm Framed roof truss (as pictured) Joinery windows Untreated workbench (h) 825mm x (w) 1650mm x (d) 635mm (as pictured) Heavy duty felt



ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD 12mm CLADDING	PREMIER 18mm CLADDING	PRESSURE TREATED BEARERS	ASSEMBLY CHARGE
8' x 6'	1550	2015	4 x 6′ 54.00	190.00
10' x 6'	1870	2340	5 x 6′ 68.00	230.00
8' x 8'	1990	2590	4 x 8′ 72.00	270.00
10' x 8'	2199	2855	5 x 8′ 90.00	290.00

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

ORDER ONLIN

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C


3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES





DOORS CAN
BE HINGED

LEFT OR RIGHT

APEX

BARR'S GARDEN CENTRES

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Rhino Apex and Pent



75mm x 50mm Fully framed door
Roof constructed of 75mm x 50mm framing
Door can be positioned at any side or end
wall

Mortice lock and key with antique handles 30" fully framed boxed door and fully boarded both sides

Heavy duty hinges

75mm x 50mm framed roofing truss 3 fixed windows

Heavy duty felt





ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

RDER ONLIN

			•	
SIZE	RHINO 12mm	RHINO 18mm	BEARERS PRESSURE	ASSEMBLY CHARGE
	CLADDING	CLADDING	TREATED	
7′ x 5′	1170	1520	4 x 5′ – 40.00	190.00
8' x 6'	1315	1699	4 x 6′ – 44.00	190.00
10' x 6'	1583	2065	5 x 6′ – 55.00	220.00
8' x 8'	1780	2299	4' x 8' – 52.00	265.00
8' x 10'	2025	2625	5 x 8′ – 65.00	290.00

Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: C
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- 5. CLADDING example: 18 mm
 6. FELT UPGRADE example: YES
- 7. BEARERS example: YES



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

The Cabin

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

APEX

DOORS CAN
BE HINGED
LEFT OR RIGHT

STANDARD FEATURES

Front and side fixed windows Roof overhang 1/305mm Central door Lock and key Fully tongue and groove construction

ORDER ONLINE

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	12mm	18mm	BEARERS	ASSEMBLY
	CLADDING	CLADDING	PRESSURE	CHARGE
			TREATED	
CABIN				
5' x 7'	850	1110	4 x 5' – 40.00	190.00
6' x 6'	850	1110	4 x 6' - 44.00	190.00
6' x 8'	975	1275	4 x 6' - 44.00	190.00
8' x 8'	1175	1525	4 x 8' - 52.00	250.00
10' x 8'	1375	1775	5 x 8' - 65.00	250.00

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.




QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

Potting Shed





WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES



STANDARD FEATURES

3"x 2" Framed roof Full length slatted staging under window Stable door Opening window in one end Lock and key

Windows 6' - 1530 x 1200mm 8' - 2160mm x 1200mm 10' - 2750mm x 1200mm Framing 38mm x 50mm Cladding 16mm x 125mm



ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	12mm CLADDING	18mm CLADDING	BEARERS PRESSURE	ASSEMBLY CHARGE
5' x 7'	1170	1525	4 x 5′ – 40.00	290.00
6' x 6'	1199	1560	4 x 6' – 44.00	290.00
8' x 6'	1280	1665	4 x 6' – 44.00	290.00
8' x 8'	1670	2175	4 x 8' - 52.00	310.00
10' x 6'	1499	1950	5 x 6' - 55.00	310.00
10 'x 8'	1865	2425	5 x 8' - 65.00	330.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Sunflower







WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ORDER ONLINE

STANDARD FEATURES

3" x 2" Framed roof
Full length slatted staging
under window
Full height windows
returning at both ends
Two joinery opening
windows Lock and Key

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6') to 3.05m x 2.44m (10' x 8') Eaves height 73" / 1860mm Ridge height 81" / 2057mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

SIZE	12mm	18mm	BEARERS	ASSEMBLY
	CLADDING	CLADDING	PRESSURE	CHARGE
			TREATED	
SUNFLOWER				
5'x 7'	1025	1335	4 x 5' - 40.00	280.00
6' x 6'	1038	1349	4 x 6' - 44.00	280.00
8' x 6'	1150	1495	4 x 6' - 44.00	280.00
8' x 8'	1530	1990	4 x 8' - 52.00	300.00
10' x 6'	1375	1785	5 x 6' - 55.00	300.00
10' x 8'	1730	2250	5 x 8' - 65.00	300.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



SUMMER HOUSES



Summer Cabin



Althorpe



Ascot



Balmoral



Chatsworth



Buckingham



Windsor



Kensington



Wentworth



Sunningdale



Corner Summer House Georgian



Corner Summer House Leaded



Pavilion



Pent Summer House

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS PRESSURE	ASSEMBLY		
8' GABLE	12mm	18mm	TREATED	CHARGE		
	CLADDING	CLADDING				
5′ x 8′	1550	1999 4 x 5' - 54.00		310.00		
6' x 8'	1599	2100 4 x 6' - 68.00		2100 4 x 6' - 68.00 310.00		310.00
8' x 8'	1935	2499	4 x 8′ – 72.00	330.00		
10′ x 8′	2145	2738 5 x 8' - 90.00		360.00		

STANDARD FEATURES

Fully glazed plain glass double doors with antique hinges, ornate handle and lever lock 2 front fixed plain full length windows 2 side fixed plain full length windows Roof overhang 1' / 305mm Door drip Profiled fascia boards

ALL BUILDING REQUIRE
A SPIRIT BASED
TREATMENT
ONCE ASSEMBLED
& ANNUALLY
THEREAFTER



OUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS. CEILINGS & FLOORS



1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER,

AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

1899

SIZE

10' x 8'

8' GABLES	12mm CLADDING	18mm CLADDING	TREATED	CHARGE
5′ x 8′	1299	1699	4 x 5′ - 54.00	300.00
6' x 8'	1385	1799	4 x 6′ – 68.00	300.00
8′ x 8′	1575	2050	4 x 8′ – 72.00	320.00

2450

5 x 8' - 90.00

FLAT PACK KIT FLAT PACK KIT BEARERS PRESSURE

STANDARD FEATURES

ASSEMBLY

340.00

Half glazed joinery doors, with antique hinges, ornate handle and lever lock 4 front fixed windows Roof overhang 1' / 305mm Profiled fascia boards Door drip


EXTRA 2' 6" VERANDA -£340.00 EXTRA 4' VERANDA -£540.00

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock 2 front fixed Georgian windows, if building is a 10ft front the 2 fixed windows become opening windows as standard 2 top hung opening Georgian side windows Roof overhang 1' / 305mm Door drip Profiled fascia boards

EXTRA 2' 6" VERANDA - £340.00 EXTRA 4' VERANDA - £540.00 +

SIZE 8' GABLES	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
5′ x 8′	1730	2250 4 x 5' - 54.00		335.00
6' x 8'	1785	2299	2299 4 x 6' - 68.00	
8' x 8'	2099	2730	4 x 8' – 72.00	355.00
10′ x 8′	2299	2999 5 x 8' – 90.00		360.00

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ALL BUILDING REQUIRE
A SPIRIT BASED
TREATMENT ONCE
ASSEMBLED &
ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.



OUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

The Buckingham

ORDER ONLINE

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL BUILDING REQUIRE A
SPIRIT BASED TREATMENT
ONCE ASSEMBLED &
ANNUALLY THEREAFTER



STANDARD FEATURES

Fully glazed
Georgian door
with antique
hinges, ornate
handle and lever
lock
Georgian bay
window
1 Georgian top
hung opening side
window
Roof

Roof overhang 1' / 305mm Profiled fascias Door drip

SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
8' GABLES	12mm	18mm	PRESSURE	CHARGE
	CLADDING	CLADDING	TREATED	
5′ X 8′	1625	2110	4′ x 5′ £54.00	320.00
6′ X 8′	1685	2190	4 x 6′ £68.00	325.00
8′ X 8′	2015	2615	4 x 8′ £72.00	355.00
10′ X 8′	2225	2895	5 X 8′ £90.00	365.00

VERANDAS

EXTRA 2' 6" VERANDA £340.00

EXTRA 4' VERANDA £540.00

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS


PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.





QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Corner Summerhouse Georgian









CORDER ONLINE

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE *example:* YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian top opening side windows Door drip

PLEASE NOTE –
ALL BASE WORK IS THE
RESPONSIBILITY OF
THE CUSTOMER,
AS IS THE SAFE
SECURING OF THE
BUILDING ONCE
ASSEMBLED.

ALL BUILDING
REQUIRE
A SPIRIT BASED
TREATMENT ONCE
ASSEMBLED &
ANNUALLY
THEREAFTER

SIZE	FLAT PACK 12mm CLADDING	FLAT PACK 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
6′ X 6′	1750	2275 KIT 3 x6' 3 x5' £75.00		340.00
7′ X 7′	1955	2540	KIT 3 x 7' 2 x 6' 1 x 5' £89.00	365.00
8′ X 8′	2385	2899	KIT 3 x 8' 1 x 7' 1 x 6' 1 x 5' £95.00	390.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS







GREEN

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

			The state of the s	
SIZE	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
8′ x 6′	1999	2599	4 x 6′ – 54.00	340.00
8' x 8'	2575	3325	4 x 8' – 68.00	360.00
10' x 6'	2345	2999	5 x 6′ – 72.00	360.00
10′ x 8′	2599	3399	5 x 8' – 90.00	360.00

STANDARD FEATURES

Georgian double doors, antique hinges, ornate handle and lever lock

- 2 Georgian top hung 12 pane, opening side windows
- 2 front fixed Georgian windows

The front roof canopy is 485mm wide and tiled in red, green, black or slate tiles. The roof is felted with green roofing felt.

Profiled fascia boards

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- **3. SIZE** *example:* 10′ *X* 8′
- **4. HINGED** example: LEFT
- **5. CLADDING** *example:* 18 mm
- **6. FELT UPGRADE** example: YES
- 7. BEARERS example: YES



THEREAFTER

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Pent Summerhouse



STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock 2 Georgian fixed front windows 2 Georgian 9 pane opening side windows Profiled fascias Door drip

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
	12mm CLADDING	18mm CLADDING	PRESSURE	CHARGE
			TREATED	
8′ x 6′	1899	2468	4 x 6′ – 54.00	325.00
10′ x 6′	2170	2820	5 x 6' - 68.00	325.00
8′ x 8	2225	2895	4 x 8′ – 72.00	365.00
10′ x 8′	2465	3199	5 x 8′ – 90.00	390.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



0175	FI AT DAGULUT	EL AT DA 61/ 1/17	DE4.DED6	40054511/
SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
	12mm	18mm	PRESSURE	CHARGE
	CLADDING	CLADDING	TREATED	
8′ x 6′	1599	2075	4 x 6′ – 54.00	310.00
10′ x 6′	1985	2585 5 x 6' – 68.00		310.00
8' x 8'	2050	2650	4 x 8′ – 72.00	350.00
10′ x 8′	2375	2999	5 x 8′ – 90.00	370.00

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

STANDARD FEATURES

2 Fixed front windows 4 Fixed side windows Double doors Toughened glass throughout Antique style ironmongery 1ft (305mm) overhang on the pent roof Plain fascia board Standard mineral felt

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- **5. CLADDING** example: 18 mm
- **6. FELT UPGRADE** example: YES
- 7. BEARERS example: YES



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STORAGE & KENNELS



Garden Store



Animal Arc



Garden Tidy



Delux Apex Kennel & Run



Garden Chest



Pent Kennel & Run



Wheelie Bin Store



Hen House



Dog Kennel



Traditional Dutch barn

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Fully framed & braced 5ft barn style double doors Door knob handle Rim lock & key One fixed window above door Galvanised hinges 16mm x 125mm shiplap cladding 50mm x 50mm framing 1 internal shelf 33" wide Green mineral felt (not shown in picture)

18' x 18" toughened glass



internal roof and shelf

This model is shown with the coloured felt tiles

SIZE,	BARN 12mm CLADDING	BARN 18mm CLADDING	FELT	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
8′ X 6′	1540	1999	STANDARD	4 x 6′ – 44.00	290.00
10′ X 6′	1699	2220	STANDARD	5 x 6' – 55.00	290.00
8′ X 8′	2030	2635	STANDARD	4 x 8' – 52.00	315.00
10′ X 8′	2199	2875	STANDARD	5 x 8' – 65.00	335.00

ALL **BUILDING REQUIRE A SPIRIT BASED** TREATMENT ONCE **ASSEMBLED & ANNUALLY THEREAFTER**

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, **CEILINGS & FLOORS**



WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- **5. CLADDING** example: 18 mm **6. FELT UPGRADE** example: YES
- 7. BEARERS example: YES

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Garden Store



STANDARD FEATURES

2' 6" Door Fully tongue and groove construction Door position on any side or end wall Lock and key Ledged and brace door

SPECIFICATION

Size:1.52m x 915mm (5'x3') Eaves height 1610mm Ridge height 1710mm Door 1460mm x 762mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ASSEMBLY CHARGE

5' x 3'

GARDEN STORE



420

100.00

Garden Tidy



STANDARD FEATURES

4' double door
Fully tongue and groove construction
Lock and key
Ledged and brace doors
Roof can slope either way

SPECIFICATION

Size: 1.83m x 762mm (6' x 2'6") Eaves height 1610mm Ridge height 1710mm Double doors 1460mm x 1320mm Framing 38mm x 50mm Cladding 16mm x 125mm

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

ASSEMBLY CHARGE

6' x 2'6"

GARDEN TIDY

ORDER ONLINE

445

100.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Garden Chest



STANDARD FEATURES

Hinged lid with hasp and staple Sliding internal storage shelf

SPECIFICATION

Size: 1.52m x 610mm (5' x 2') Eaves height 710mm Ridge height 802mm Framing 38mm x 50mm Cladding 16mm x 125mm Tanalised Timber

OPTIONS AVAILABLE

22mm Premier cladding 22mm floor boards Tanalised Timber
Loglap Cladding SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS,

ASSEMBLY CHARGE

CEILINGS & FLOORS

5' x 2' GARDEN CHEST 350 100.00

Wheelie Bin Store

SINGLE & DOUBLE



STANDARD FEATURES

Tower bolt fitted to each door Roof can slope either way Slatted doors to allow for ventilation No floor

SPECIFICATION

Size: 2134mm x 915mm (7' x 3') Eaves height 1555mm Ridge height 1655mm Slated Double Doors 1550mm x 937mm (x2) Framing 38mm x 50mm Cladding 16mm x 125mm (to sides and back) Tower bolt fitted to each door

ALL BUILDING REQUIRE A SPIRIT BASED
TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

ASSEMBLY	
CHARGE	

7' x	3'	WHEELIE BIN STORE	515	100.00
		SINGLE WHEELIE BIN STORE	260	100.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



Dog Kennel

ORDER ONLINE

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, **CEILINGS & FLOORS**

> **ASSEMBLY CHARGE**

3' x 2'	DOG KENNEL	185	80.00
4' x 3'	DOG KENNEL	225	80.00
4' x 4'	DOG KENNEL	255	80.00



STANDARD FEATURES

4' x 6' kennel unit with floor and access door with closing bob hole

6' x 6' run with 50mm x 50mm

Galvanised weldmesh on

50mm x 50mm framing, with front

Access door

Run designed with bottom drainage for easy cleaning

SPECIFICATION

Size: 3.05m x 1.83m (10' x 6') Eaves height kennel 1780mm Eaves height run 1832mm

Ridge height kennel 2250mm Ridge height run 2305mm Door in run 1757mm x 600mm Door in kennel 1765mm x

604mm Framing 50mm x 50mm

Cladding 16mm x 125mm

ASSEMBLY CHARGE

8'	x 6'	DELUXE APEX KENNEL	1115	335.00
10'	x 6'	DELUX APEX KENNEL	1245	335.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Pent Kennel & Run



STANDARD FEATURES

4' x 4' kennel with floor, front door and side with tower bolt

Dog access hole

Run made from 50mm x 50mm galvanised heavy duty wire mesh, on 50mm x 50mm framing,

Door with tower bolt

SPECIFICATION

Sizes: $3.05m \times 1.22m (10' \times 4')$ and $3.66m \times 1.22m (12' \times 4')$

Eaves height 1433mm Ridge height 1610mm Doors 1455mm


x 596mm

Framing kennel 38mm x 50mm Framing run 38mm x 50mm and 50mm x 50mm

ASSEMBLY

Cladding 16mm x 125mm

			ASSLIVIDLI
			CHARGE
4'	PENT KENNEL & 4' RUN	875	240.00
4'	PENT KENNEL & 6' RUN	925	230.00
4′	PENT KENNEL & 8' RUN	999	240.00



SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

STANDARD FEATURES

3' X 6' Hen house with raised floor and single door. Separate closing hen access door and ramp

3' x 6' run with 13mm x 13mm Galvanised weldmesh, and meshed door

SPECIFICATION

Size: 1.83m x 1.83m (6' x 6')
Eaves height 69¹/₄"/ 1760mm Ridge height 87³/₄"/ 2230mm Meshed door 610mm x 1760mm Single door in Hen house 1460mm x 915mm
Hen house access door 485mm x 380mm
Ramp 315 x 750
Framing 50mm x 50mm
Cladding 16mm x 125mm

ASSEMBLY

8' x 6'	HEN HOUSE	980	335.00	
0 X 0	HEN HOUSE	300	333.00	
	HEN HOUSE NESTING BOX	280	75.00	



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



CHILDREN'S PLAYHOUSES



Toddlers Retreat



My Little Den



Ladybird Cottage



Snowdrop Cottage



Escape



Wilton Lodge



Candy Cabin



The Hideaway



Charleys Castle



Kids Club House

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Two side windows with acrylic Door window Square acrylic Profiled fascias Antique door handle and hinges with adjustable door catch

SPECIFICATION

Size: 4' X 4' $(1.2m \times 1.2m)$ Èaves height 421/4" (1074mm) Ridge height 541/2" (1384mm) Door 1074mm x 596mm Side windows 457mm x 457mm Door window 305mm x 305mm Framing 38mm x 50mm Cladding 16mm x 125mm

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

TODDLERS RETREAT	4' x 4'	365	One size only	4 x 4′ – 26.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS



CE IS USED IN WALLS, **CEILINGS & FLOORS**

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

ORDER ONLINE

STANDARD FEATURES

Door with diamond window, antique hinges and handle with adjustable door catch 2 acrylic Georgian windows Roof overhang 1' / 305mm Profiled fascias

SPECIFICATION

Sizes from: 1.22m x 1.83m (4' x 6') to 2.44m x 1.83m (8' x 6') Eaves ht. 51" / 1318mm Ridge ht. 73" / 1850mm Door 1282mm x 596mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES


7. BEARERS example: YES

MY LITTLE DEN	4' x 6'	650	No Veranda	4 x 4′ – 26.00
MY LITTLE DEN	6' x 6'	835	Inc Veranda	4 x 6' – 44.00
MY LITTLE DEN	6' x 6'	835	No Veranda	4 x 6' – 44.00
MY LITTLE DEN	4' x 8'	835	No Veranda	4 x 4′ – 26.00
MY LITTLE DEN	6' x 8'	999	Inc Veranda	6 x 8' - 44.00
MY LITTLE DEN	6' x 8'	999	No Veranda	6 x 8' – 44.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Georgian joinery door with antique hinges and handle, with adjustable door catch

4 acrylic Georgian windows Roof overhang 1' / 305mm Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (7' x 7')

Eaves ht. 49" / 1255mm Ridge ht. 70" / 1790mm Door 1180mm x 535mm Windows 457mm x 457mm Framing 38mm x 50mmCladding 16mm x 125mm

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS



LADYBIRD COTTAGE	5' x 7'	959	No Veranda	4 x 5′ – 40.00
LADYBIRD COTTAGE	7′ x 7′	1135	Inc Veranda	4 x 7′ – 44.00
LADYBIRD COTTAGE	9' x 7'	1275	Inc Veranda	5 x 7' – 55.00



Snowdrop Cottage

CE



STANDARD FEATURES

Antique hinges and handle with adjustable door catch
4 acrylic Georgian windows Georgian joinery door with antique hinges and handle with adjustable door catch Chimney pot Hip roof
Profiled fascia boards

SPECIFICATION

Sizes: 1.83m x 1.22m (6' x 4') and 2.13m x 1.52m (7' x 5') Eaves height 51" / 1318mm Ridge height 4' - 63" / 1615mm

5' - 70" / 1790mm Door 1180mm x 535mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER




SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

SNOWDROP COTTAGE	6' x 4'	750	No Veranda	4 x 4' – 26.00
SNOWDROP COTTAGE	7' x 5'	899	No Veranda	4 x 5′ – 40.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Full size door with 10" diamond window, antique hinges and handle Internal bunk bed with safety rail, ladder and hand rail (as pictured)

1 Acrylic Georgian window

1 Window box Profiled fascias

SPECIFICATION

Size 2.44m x 1.83m (8' x 6') Eaves height 1964mm / 77" Ridge height 2436 / 96" Door 1765mm x 762mm Window 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

ORDER ONLINE

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

Wilton Lodge



STANDARD FEATURES

Door with diamond window, antique hinges and handle, with adjustable catch
3 acrylic Georgian windows with large window box
Roof overhang 1' / 305mm
Internal bunk bed with safety rail, ladder and hand rail (as pictured)
Profiled fascias

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (9' x 7') Eaves height 56" / 1435mm to 70" / 1785mm
Ridge height 93" / 2350mm

Door 1410mm x 596mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

THE WILTON LODGE	5' x 7'	1250	No Veranda	4 x 5′ – 40.00
THE WILTON LODGE	7' x 7'	1450	Inc Veranda	4 x 7′ – 44.00
THE WILTON LODGE	7′ x 7′	1450	No Veranda	4 x 7′ – 44.00
THE WILTON LODGE	9' x 7'	1665	Inc Veranda	5 x 7′ – 55.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

Stable door with diamond in the top hinges Antique and handle with adjustable closing catch 2 acrylic Georgian windows 1 window box Internal bunk bed with safety rail, ladder with hand rail

SPECIFICATION

Roof overhang 1' /

(as pictured)
Profiled fascias

305mm

sizes: 1.83m 2.44m (6' x 8') and 2.44m x 2.44m (8' x 8') Eaves height 56" / 1435mm to 70" / 1785mm Ridge height 93" / 2360mm Stable door: Top 678mm x 596mm Bottom 730mm x 596mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

ORDER ONLINE

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS



CANDY CABIN	6' x 8'	1375	No Veranda	4 x 6′ – 44.00
CANDY CABIN	8' x 8'	1599	Inc Veranda	4 x 8′ – 52.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

The Hideaway



STANDARD

Single and double garage doors with diamond windows, complete with antique hinges and handles

2 acrylic Georgian windows

2 window boxes
Internal bunk bed with safety rail, ladder and hand rail (as pictured)

Profiled fascias

Roof overhang 1' / 305mm

SPECIFICATION

sizes: 1.52m x 3.05m (5' x 10') and 1.83m x 3.05m (6' x 10') Eaves height 56" / 1435mm to 70" / 1785mm Ridge height 96" / 2430mm Single door 1410mm x 596mm



ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

Double door 1042mm x 1158mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

ORDER ONLINE

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

THE HIDEAWAY	5' x 10'	1665	No Veranda	5 x 5' – 45.00
THE HIDEAWAY	6' x 10'	1855	No Veranda	5 x 6' – 55.00